



## GENERAL CONFORMITY CERTIFICATE

Pursuant to 15 U.S.C. § 2063(a), Gilead Sciences, Inc. certifies that based on a reasonable testing program, the product referenced in this certificate complies with applicable regulations, rules, bans, and/or standards that are enforced by the Consumer Product Safety Commission.

|                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product:</b>                                                                                                                                                                               | Emtriva® (emtricitabine) Capsules, 200 mg, 30 count<br>NDC 61958-0601-1                                                                                                                                                                                                                                              |
| <b>The regulation(s), rule(s), ban(s), and/or standard(s) to which this product is being certified:</b>                                                                                       | 16 CFR 1700.14(a)(10)<br>16 CFR 1700.15                                                                                                                                                                                                                                                                              |
| <b>Manufacturer or importer certifying compliance:</b>                                                                                                                                        | Gilead Sciences, Inc.<br>333 Lakeside Drive<br>Foster City, CA 94404<br>USA<br>Phone: 1-800-GILEAD-5                                                                                                                                                                                                                 |
| <b>Individual maintaining test records upon which this certification is based:</b>                                                                                                            | Director of Global Operations Quality Assurance<br>Gilead Sciences, Inc.<br>333 Lakeside Drive<br>Foster City, CA 94404<br>USA<br>Phone: 1-800-GILEAD-5<br>Email address: <a href="mailto:globalqa@gilead.com">globalqa@gilead.com</a>                                                                               |
| <b>Date and place where this product was manufactured:</b>                                                                                                                                    | Gilead products are coded with a unique lot number. The lot number can be used to identify the date and place of packaging by calling 1-800-GILEAD-5 and pressing prompt number 2, then prompt number 8.                                                                                                             |
| <b>Date and place where this product was tested for compliance with the regulation(s), rule(s), ban(s) and/or standard(s) cited above and test report(s) on which certification is based:</b> | 2605 East 3300 South<br>Salt Lake City, Utah 84109<br>and<br>2801 Junipero Avenue #206<br>Signal Hill, CA 90755<br><br>Test Report # C100-570 dated December 15, 2009<br>Test Report # U200-462 dated January 11, 2010<br><br>The specific test report applicable to this product depends on the configuration used. |
| <b>Third party laboratory that conducted testing upon which this certification is based:</b>                                                                                                  | Child Related Research, Inc.<br>2605 East 3300 South<br>Salt Lake City, Utah 84109<br>Phone: (801) 467-9440                                                                                                                                                                                                          |

Effective date: 05-Feb-2010